


KT | Cable grommets, grey

for cable diameters 1 - 35 mm / IP66 / IP68 / UL Type 12/4X*



IP54	IP55	IP64	IP65	IP66	IP67
IP68	UL TYPE 12	UL TYPE 4X	UL US	DNV	RIR
HL3 EN 45545-2	E45 E130 EN 45545-3	EN 61373	ECOLAB certified	ISO 4892-2A	PNEUMATICS
RoHS compliant	REACH COMPLIANCE	Made in Germany			

Specifications

IP rating (EN 60529)	IP54, IP55, IP64, IP65, IP66, IP67, IP68
UL Type (UL 50E)	UL Type 12, UL Type 4X*
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free

Product types & sizes

BTK gy	Part No.	41251	Height	19 mm
	EAN	4251269306686	Mounting height	2 mm
	Package quantity	10	For cable type	Round cable
	Colour	grey (similar RAL 7035)	Blank grommet	1
	Length	21 mm		
	Width	21 mm		
IP68 UL 4X				

KT 1 gy	Part No.	39941	Height	19 mm
	EAN	4251269318146	Mounting height	2 mm
	Package quantity	10	For cable type	Round cable
	For max. no. of cables	1	Clamping range	1 x 1 - 2 mm
	Colour	grey (similar RAL 7035)		
	Length	21 mm		
	Width	21 mm		
IP68 UL 4X				

Cable grommets KT small are used with the following cable entry components:

- [KEL cable entry frames](#)
- [KVT split cable glands](#)

In combination with [KEL-ER cable entry frames](#) and [KVT-ER cable glands](#) the KT single-hole grommets enable a sealing of the cables with up to IP66 / IP68 and UL Type 4X*.


The model range KT small is designed for cable diameters from 1 to 17 mm. Cable grommets KT large accept a wide range of cable diameters from 13 to 35 mm.


When installing the small grommets in multiple rows, the flat sides should be facing each other. This allows the flat sides to match up and provide a secure seal.


*4X for indoor use only


Advantages & benefits


- Enable routing of pre-terminated cables through cable entry frames and split cable glands
- High strain relief in accordance with EN 62444 when a suitable cable entry is selected
- Available for a large range of cable diameters
- Greatly increased cable density when using [double or quadruple grommets](#)


KT 2 gy	Part No. EAN Package quantity For max. no. of cables Colour Length Width	39934 4251269306280 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 2 - 3 mm
				


KT 3 gy	Part No. EAN Package quantity For max. no. of cables Colour Length Width	41203 4251269306389 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 3 - 4 mm
				

KT 4 gy	Part No. EAN Package quantity For max. no. of cables Colour Length Width	41204 4251269306396 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 4 - 5 mm
				

KT 5 gy	Part No. EAN Package quantity For max. no. of cables Colour Length Width	41205 4251269306402 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 5 - 6 mm
				

KT 6 gy	Part No. EAN Package quantity For max. no. of cables Colour Length Width	41206 4251269306419 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 6 - 7 mm
				

KT 7 gy	Part No. EAN Package quantity For max. no. of cables Colour Length Width	41207 4251269306426 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 7 - 8 mm
				

KT 8 gy	Part No. EAN Package quantity For max. no. of cables Colour Length Width	41208 4251269306433 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 8 - 9 mm
				

KT 9 gy	Part No. EAN Package quantity For max. no. of cables Colour Length Width	41209 4251269306440 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 9 - 10 mm
----------------	--	---	---	---

KT 10 gy	Part No. EAN Package quantity For max. no. of cables Colour Length Width	41210 4251269306457 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 10 - 11 mm
-----------------	--	---	---	--


KT 11 gy	Part No. EAN Package quantity For max. no. of cables Colour Length Width	41211 4251269306464 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 11 - 12 mm
-----------------	--	---	---	--

KT 12 gy	Part No. EAN Package quantity For max. no. of cables Colour Length Width	41212 4251269306471 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 12 - 13 mm
-----------------	--	---	---	--

KT 13 gy	Part No. EAN Package quantity For max. no. of cables Colour Length Width	41213 4251269306488 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 13 - 14 mm
-----------------	--	---	---	--


KT 14 gy	Part No. EAN Package quantity For max. no. of cables Colour Length Width	41214 4251269306495 10 1 grey (similar RAL 7035) 21 mm 21 mm	Height Mounting height For cable type Clamping range	19 mm 2 mm Round cable 1 x 14 - 15 mm
-----------------	--	---	---	--

KT 15 gy




Part No.	41215	Height	19 mm
EAN	4251269306501	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	1 x 15 - 16 mm
Colour	grey (similar RAL 7035)		
Length	21 mm		
Width	21 mm		

BTG gy




Part No.	41252	Height	19 mm
EAN	4251269306693	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
Colour	grey (similar RAL 7035)	Blank grommet	1
Length	41,5 mm		
Width	42 mm		

KTG 13 gy




Part No.	41263	Height	19 mm
EAN	4251269331947	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	1 x 13 - 14 mm
Colour	grey (similar RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KTG 14 gy




Part No.	41264	Height	19 mm
EAN	4251269331954	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	1 x 14 - 15 mm
Colour	grey (similar RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KTG 15 gy




Part No.	41265	Height	19 mm
EAN	4251269331961	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	1 x 15 - 16 mm
Colour	grey (similar RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 16 gy



Part No.	41216	Height	19 mm
EAN	4251269306518	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	1 x 16 - 17 mm
Colour	grey (similar RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 17 gy




Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41217
4251269306525
10
1
grey (similar RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 17 - 18 mm

KT 18 gy




Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41218
4251269306532
10
1
grey (similar RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 18 - 19 mm

KT 19 gy




Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41219
4251269306549
10
1
grey (similar RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 19 - 20 mm

KT 20 gy




Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41220
4251269306556
10
1
grey (similar RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 20 - 21 mm

KT 21 gy




Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41221
4251269306563
10
1
grey (similar RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
Clamping range

19 mm
2 mm
Round cable
1 x 21 - 22 mm

KT 22 gy




Part No.
EAN
Package quantity
For max. no. of cables
Colour
Length
Width

41222
4251269306570
10
1
grey (similar RAL 7035)
41,5 mm
42 mm

Height
Mounting height
For cable type
Clamping range


19 mm
2 mm
Round cable
1 x 22 - 23 mm

KT 23 gy




Part No.	41223	Height	19 mm
EAN	4251269306587	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	1 x 23 - 24 mm
Colour	grey (similar RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 24 gy




Part No.	41224	Height	19 mm
EAN	4251269306594	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	1 x 24 - 25 mm
Colour	grey (similar RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 25 gy




Part No.	41225	Height	19 mm
EAN	4251269306600	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	1 x 25 - 26 mm
Colour	grey (similar RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 26 gy




Part No.	41226	Height	19 mm
EAN	4251269306617	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	1 x 26 - 27 mm
Colour	grey (similar RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 27 gy




Part No.	41227	Height	19 mm
EAN	4251269306624	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	1 x 27 - 28 mm
Colour	grey (similar RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 28 gy



Part No.	41228	Height	19 mm
EAN	4251269306631	Mounting height	2 mm
Package quantity	10	For cable type	Round cable
For max. no. of cables	1	Clamping range	1 x 28 - 29 mm
Colour	grey (similar RAL 7035)		
Length	41,5 mm		
Width	42 mm		


KT 29 gy



Part No. **41229**
EAN **4251269306648**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 29 - 30 mm**


KT 30 gy



Part No. **41230**
EAN **4251269306655**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 30 - 31 mm**


KT 31 gy



Part No. **41231**
EAN **4251269316784**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 31 - 32 mm**


KT 32 gy



Part No. **41232**
EAN **4251269306662**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 32 - 33 mm**


KT 33 gy



Part No. **41233**
EAN **4251269316791**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 33 - 34 mm**

KT 34 gy



Part No. **41234**
EAN **4251269306679**
Package quantity **10**
For max. no. of cables **1**
Colour **grey (similar RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Round cable**
Clamping range **1 x 34 - 35 mm**

