KEL-DPZ CR multi-membrane cable entry plates

for the use in cleanrooms / up to IP66 / UL Type 12



IP54 IP55 IP64 IP65 IP66

UL TYPE 12 | cULus | DNV | RINA | HL3 EN 45545-2

EN 61373 | ECOLAB certified | UV ISO 4892-2A | EN ISO 14644 | PNEUMATICS

RoHS compliant | REACH COMPLIANCE | Made in Germany

KEL-DPZ CR cable entry plates are designed to route and seal a large number cables without connectors, hoses or fibre optics (from 1.5 mm to 22 mm in diameter) in limited space.

The KEL-DPZ CR products are a cost and time saving alternative to traditional cable glands.

The assembly of the KEL-DPZ CR with cables or pneumatic hoses can be done quick and easy. Simply make a small hole in the thin membrane, push the cables through. The KEL-DPZ CR provides strain relief and protection up to IP66 / UL type 12.

The KEL-DPZ CR matches exactly the cut-out dimensions of 6-, 16- and 24-pin standard industrial connectors. The size KEL-DPZ-B CR fits on cut-outs 46 × 46 mm. The very compact size KEL-DPZ-E CR is designed for routing cables in very small space. Through a cut-out of only 18 × 112 mm, up to 21 cables can be easily routed and sealed.

Especially for Rittal KL / KX terminal boxes the size KEL-DPZ-KX/KL CR (IP65) was created. It was designed for routing up to 72 cables through the pre-cut standard cut-out. The self-tapping screws required for assembly are included in the scope of delivery.

The products with article ending .600 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1. The materials used for these products have been tested and certified for outgassing according to VOC/SVOC (ISO 14644-8; ISO 16000-6,-9,-11,-25, VDI 2083 sheet 17).

The products with the article ending .601 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1.

Specifications

IP rating (EN 60529)	IP54, IP55, IP64, IP65, IP66
UL Type (UL 50E)	UL Type 12
Material	Elastomer Base frame: Polyamide Base frame: Stainless steel (V2A)
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free
Mounting options	Screw type mounting

Advantages & benefits

- Fast mounting
- High cable density
- Certified protection up to IP66 (acc. to EN 60529)
- Automatic sealing and strain relief for the cable
- Hygienic design - free of dirt-collecting recesses
- Space-saving shape

Product types & sizes

KEL-DPZ 24|14 CR gy



Part No.	**43700.601**	Width	**58 mm**
EAN	**4251269327315**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**14**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**22 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**nein**
		Clamping range	**10 x 3.2 - 6.5 mm** **4 x 16 - 22 mm**

KEL-DPZ 24|14 CR (S)VOC gy



Part No.	**43700.600**	Width	**58 mm**
EAN	**4251269327148**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**14**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**22 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**ja**
		Clamping range	**10 x 3.2 - 6.5 mm** **4 x 16 - 22 mm**

KEL-DPZ 24|14 CR bk



Part No.	**50700.601**	Width	**58 mm**
EAN	**4251269327407**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**14**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**22 mm**	No. of screw holes	**4**
Colour	**black**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**nein**
		Clamping range	**10 x 3.2 - 6.5 mm** **4 x 16 - 22 mm**

KEL-DPZ 24|14 CR (S)VOC bk



Part No.	**50700.600**	Width	**58 mm**
EAN	**4251269327223**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**14**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**22 mm**	No. of screw holes	**4**
Colour	**black**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**ja**
		Clamping range	**10 x 3.2 - 6.5 mm** **4 x 16 - 22 mm**

KEL-DPZ 24|15 CR gy



Part No.	**43720.601**	Width	**58 mm**
EAN	**4251269327360**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**15**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**12 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**nein**
		Clamping range	**15 x 7.5 - 12 mm**

KEL-DPZ 24|15 CR (S)VOC gy



Part No.	**43720.600**	Width	**58 mm**
EAN	**4251269327186**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**15**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**12 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**ja**
		Clamping range	**15 x 7.5 - 12 mm**

KEL-DPZ 24|15 CR (S)VOC bk



Part No.	**50720.600**
EAN	**4251269327278**
Package quantity	**5**
For max. no. of cables	**15**
Max. cable diameter	**12 mm**
Colour	**black**
Length	**147 mm**

Width	**58 mm**
Height	**14 mm**
Mounting height	**14 mm**
Cut-out size	**112 × 36 mm**
No. of screw holes	**4**
Diam. of screw holes	**5,9 mm**
(S)VOC tested	**ja**
Clamping range	**15 x 7.5 - 12 mm**

KEL-DPZ 24|15 CR bk



Part No.	**50720.601**
EAN	**4251269327452**
Package quantity	**5**
For max. no. of cables	**15**
Max. cable diameter	**12 mm**
Colour	**black**
Length	**147 mm**

Width	**58 mm**
Height	**14 mm**
Mounting height	**14 mm**
Cut-out size	**112 × 36 mm**
No. of screw holes	**4**
Diam. of screw holes	**5,9 mm**
(S)VOC tested	**nein**
Clamping range	**15 x 7.5 - 12 mm**

KEL-DPZ 24|16 CR gy



Part No.	**43725.601**
EAN	**4251269327377**
Package quantity	**5**
For max. no. of cables	**16**
Max. cable diameter	**22 mm**
Colour	**grey (similar RAL 7035)**
Length	**147 mm**

Width	**58 mm**
Height	**14 mm**
Mounting height	**14 mm**
Cut-out size	**112 × 36 mm**
No. of screw holes	**4**
Diam. of screw holes	**5,9 mm**
(S)VOC tested	**nein**
Clamping range	**8 x 3.2 - 6.5 mm** **4 x 5 - 9.7 mm** **2 x 9 - 16.2 mm** **2 x 16 - 22 mm**

KEL-DPZ 24|16 CR (S)VOC gy



Part No.	**43725.600**
EAN	**4251269327193**
Package quantity	**5**
For max. no. of cables	**16**
Max. cable diameter	**22 mm**
Colour	**grey (similar RAL 7035)**
Length	**147 mm**

Width	**58 mm**
Height	**14 mm**
Mounting height	**14 mm**
Cut-out size	**112 × 36 mm**
No. of screw holes	**4**
Diam. of screw holes	**5,9 mm**
(S)VOC tested	**ja**
Clamping range	**8 x 3.2 - 6.5 mm** **4 x 5 - 9.7 mm** **2 x 9 - 16.2 mm** **2 x 16 - 22 mm**

KEL-DPZ 24|16 CR (S)VOC bk



Part No.	**50725.600**
EAN	**4251269327285**
Package quantity	**5**
For max. no. of cables	**16**
Max. cable diameter	**22 mm**
Colour	**black**
Length	**147 mm**

Width	**58 mm**
Height	**14 mm**
Mounting height	**14 mm**
Cut-out size	**112 × 36 mm**
No. of screw holes	**4**
Diam. of screw holes	**5,9 mm**
(S)VOC tested	**ja**
Clamping range	**8 x 3.2 - 6.5 mm** **4 x 5 - 9.7 mm** **2 x 9 - 16.2 mm** **2 x 16 - 22 mm**

KEL-DPZ 24|16 CR bk



Part No.	**50725.601**	Width	**58 mm**
EAN	**4251269327469**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**16**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**22 mm**	No. of screw holes	**4**
Colour	**black**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**nein**
		Clamping range	**8 x 3.2 - 6.5 mm** **4 x 5 - 9.7 mm** **2 x 9 - 16.2 mm** **2 x 16 - 22 mm**

KEL-DPZ 24|17 CR (S)VOC gy



Part No.	**43705.600**	Width	**58 mm**
EAN	**4251269325458**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**17**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**16,2 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**ja**
		Clamping range	**6 x 3.2 - 6.5 mm** **6 x 5 - 10.2 mm** **5 x 9 - 16.2 mm**

KEL-DPZ 24|17 CR gy



Part No.	**43705.601**	Width	**58 mm**
EAN	**4251269327322**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**17**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**16,2 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**nein**
		Clamping range	**6 x 3.2 - 6.5 mm** **6 x 5 - 10.2 mm** **5 x 9 - 16.2 mm**

KEL-DPZ 24|17 CR bk



Part No.	**50705.601**	Width	**58 mm**
EAN	**4251269327414**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**17**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**16,2 mm**	No. of screw holes	**4**
Colour	**black**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**nein**
		Clamping range	**6 x 3.2 - 6.5 mm** **6 x 5 - 10.2 mm** **5 x 9 - 16.2 mm**

KEL-DPZ 24|17 CR (S)VOC bk



Part No.	**50705.600**	Width	**58 mm**
EAN	**4251269327230**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**17**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**16,2 mm**	No. of screw holes	**4**
Colour	**black**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**ja**
		Clamping range	**6 x 3.2 - 6.5 mm** **6 x 5 - 10.2 mm** **5 x 9 - 16.2 mm**

KEL-DPZ 24|25 CR gy



Part No.	**43710.601**	Width	**58 mm**
EAN	**4251269327339**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**25**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**12 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**nein**
		Clamping range	**12 x 3.2 - 6.5 mm** **7 x 4.8 - 9.7 mm** **6 x 7.5 - 12 mm**

KEL-DPZ 24|25 CR (S)VOC gy



Part No.	**43710.600**	Width	**58 mm**
EAN	**4251269327155**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**25**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**12 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**ja**
		Clamping range	**12 x 3.2 - 6.5 mm** **7 x 4.8 - 9.7 mm** **6 x 7.5 - 12 mm**

KEL-DPZ 24|25 CR (S)VOC bk



Part No.	**50710.600**	Width	**58 mm**
EAN	**4251269327247**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**25**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**12 mm**	No. of screw holes	**4**
Colour	**black**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**ja**
		Clamping range	**12 x 3.2 - 6.5 mm** **7 x 4.8 - 9.7 mm** **6 x 7.5 - 12 mm**

KEL-DPZ 24|25 CR bk



Part No.	**50710.601**	Width	**58 mm**
EAN	**4251269327421**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**25**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**12 mm**	No. of screw holes	**4**
Colour	**black**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**nein**
		Clamping range	**12 x 3.2 - 6.5 mm** **7 x 4.8 - 9.7 mm** **6 x 7.5 - 12 mm**

KEL-DPZ 24|26 CR (S)VOC gy



Part No.	**43711.600**	Width	**58 mm**
EAN	**4251269327162**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**26**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**10,2 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**ja**
		Clamping range	**26 x 5 - 10.2 mm**

KEL-DPZ 24|26 CR gy



Part No.	**43711.601**	Width	**58 mm**
EAN	**4251269327346**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**26**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**10,2 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**nein**
		Clamping range	**26 x 5 - 10.2 mm**

KEL-DPZ 24|26 CR bk



Part No.	**50711.601**	Width	**58 mm**
EAN	**4251269327438**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**26**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**10,2 mm**	No. of screw holes	**4**
Colour	**black**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**nein**
		Clamping range	**26 x 5 - 10.2 mm**

KEL-DPZ 24|26 CR (S)VOC bk



Part No.	**50711.600**	Width	**58 mm**
EAN	**4251269327254**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**26**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**10,2 mm**	No. of screw holes	**4**
Colour	**black**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**ja**
		Clamping range	**26 x 5 - 10.2 mm**

KEL-DPZ 24|32 CR gy



Part No.	**43730.601**	Width	**58 mm**
EAN	**4251269327384**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**32**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**12 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**nein**
		Clamping range	**21 x 3.2 - 6.5 mm** **8 x 5 - 10.2 mm** **3 x 7.5 - 12 mm**

KEL-DPZ 24|32 CR (S)VOC gy



Part No.	**43730.600**	Width	**58 mm**
EAN	**4251269327209**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**32**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**12 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**ja**
		Clamping range	**21 x 3.2 - 6.5 mm** **8 x 5 - 10.2 mm** **3 x 7.5 - 12 mm**

KEL-DPZ 24|32 CR bk



Part No.	**50730.601**	Width	**58 mm**
EAN	**4251269327476**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**32**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**12 mm**	No. of screw holes	**4**
Colour	**black**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**nein**
		Clamping range	**21 x 3.2 - 6.5 mm** **8 x 5 - 10.2 mm** **3 x 7.5 - 12 mm**

KEL-DPZ 24|32 CR (S)VOC bk



Part No.	**50730.600**	Width	**58 mm**
EAN	**4251269327292**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**32**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**12 mm**	No. of screw holes	**4**
Colour	**black**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**ja**
		Clamping range	**21 x 3.2 - 6.5 mm** **8 x 5 - 10.2 mm** **3 x 7.5 - 12 mm**

KEL-DPZ 24|42 CR gy



Part No.	**43715.601**	Width	**58 mm**
EAN	**4251269327353**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**42**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**6,5 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**nein**
		Clamping range	**42 x 3.2 - 6.5 mm**

KEL-DPZ 24|42 CR (S)VOC gy



Part No.	**43715.600**	Width	**58 mm**
EAN	**4251269327179**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**42**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**6,5 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**ja**
		Clamping range	**42 x 3.2 - 6.5 mm**

KEL-DPZ 24|42 CR bk



Part No.	**50715.601**	Width	**58 mm**
EAN	**4251269327445**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**42**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**6,5 mm**	No. of screw holes	**4**
Colour	**black**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**nein**
		Clamping range	**42 x 3.2 - 6.5 mm**

KEL-DPZ 24|42 CR (S)VOC bk



Part No.	**50715.600**	Width	**58 mm**
EAN	**4251269327261**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**42**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**6,5 mm**	No. of screw holes	**4**
Colour	**black**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**ja**
		Clamping range	**42 x 3.2 - 6.5 mm**

KEL-DPZ 24|121 CR gy



Part No.	**43735.601**	Width	**58 mm**
EAN	**4251269327391**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**121**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**5 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**nein**
		Clamping range	**119 x 1.5 - 2.6 mm**
			2 x 2.5 - 5 mm

KEL-DPZ 24|121 CR (S)VOC gy



Part No.	**43735.600**	Width	**58 mm**
EAN	**4251269327216**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**121**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**5 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**ja**
		Clamping range	**119 x 1.5 - 2.6 mm**
			2 x 2.5 - 5 mm

KEL-DPZ 24|121 CR bk



Part No.	**50735.601**	Width	**58 mm**
EAN	**4251269327483**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**121**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**5 mm**	No. of screw holes	**4**
Colour	**black**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**nein**
		Clamping range	**119 x 1.5 - 2.6 mm**
			2 x 2.5 - 5 mm

KEL-DPZ 24|121 CR (S)VOC bk



Part No.	**50735.600**	Width	**58 mm**
EAN	**4251269327308**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**121**	Cut-out size	**112 × 36 mm**
Max. cable diameter	**5 mm**	No. of screw holes	**4**
Colour	**black**	Diam. of screw holes	**5,9 mm**
Length	**147 mm**	(S)VOC tested	**ja**
		Clamping range	**119 x 1.5 - 2.6 mm**
			2 x 2.5 - 5 mm

KEL-DPZ 16|11 CR gy



Part No.	**43815.601**	Width	**58 mm**
EAN	**4251269327643**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**11**	Cut-out size	**86 × 36 mm**
Max. cable diameter	**12 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,8 mm**
Length	**120 mm**	(S)VOC tested	**nein**
		Clamping range	**11 x 7.5 - 12 mm**

KEL-DPZ 16|11 CR (S)VOC gy



Part No.	**43815.600**	Width	**58 mm**
EAN	**4251269327544**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**11**	Cut-out size	**86 × 36 mm**
Max. cable diameter	**12 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,8 mm**
Length	**120 mm**	(S)VOC tested	**ja**
		Clamping range	**11 x 7.5 - 12 mm**

KEL-DPZ 16|14 CR gy



Part No.	**43816.601**	Width	**58 mm**
EAN	**4251269327650**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**14**	Cut-out size	**86 × 36 mm**
Max. cable diameter	**16,2 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,8 mm**
Length	**120 mm**	(S)VOC tested	**nein**
		Clamping range	**5 x 3.2 - 6.5 mm**
			5 x 5 - 10.2 mm
			4 x 9 - 16.2 mm

KEL-DPZ 16|14 CR (S)VOC gy



Part No.	**43816.600**	Width	**58 mm**
EAN	**4251269327551**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**14**	Cut-out size	**86 × 36 mm**
Max. cable diameter	**16,2 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,8 mm**
Length	**120 mm**	(S)VOC tested	**ja**
		Clamping range	**5 x 3.2 - 6.5 mm**
			5 x 5 - 10.2 mm
			4 x 9 - 16.2 mm

KEL-DPZ 16|20 CR gy



Part No.	**43817.601**	Width	**58 mm**
EAN	**4251269327667**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**20**	Cut-out size	**86 × 36 mm**
Max. cable diameter	**12 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,8 mm**
Length	**120 mm**	(S)VOC tested	**nein**
		Clamping range	**11 x 3.2 - 6.5 mm**
			5 x 5 - 10.2 mm
			4 x 7.5 - 12 mm

KEL-DPZ 16|20 CR (S)VOC gy



Part No.	**43817.600**	Width	**58 mm**
EAN	**4251269327568**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**20**	Cut-out size	**86 × 36 mm**
Max. cable diameter	**12 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,8 mm**
Length	**120 mm**	(S)VOC tested	**ja**
		Clamping range	**11 x 3.2 - 6.5 mm** **5 x 5 - 10.2 mm** **4 x 7.5 - 12 mm**

KEL-DPZ 16|25 CR gy



Part No.	**43818.601**	Width	**58 mm**
EAN	**4251269327674**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**25**	Cut-out size	**86 × 36 mm**
Max. cable diameter	**12 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,8 mm**
Length	**120 mm**	(S)VOC tested	**nein**
		Clamping range	**16 x 3.2 - 6.5 mm** **6 x 5 - 10.2 mm** **3 x 7.5 - 12 mm**

KEL-DPZ 16|25 CR (S)VOC gy



Part No.	**43818.600**	Width	**58 mm**
EAN	**4251269327575**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**25**	Cut-out size	**86 × 36 mm**
Max. cable diameter	**12 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,8 mm**
Length	**120 mm**	(S)VOC tested	**ja**
		Clamping range	**16 x 3.2 - 6.5 mm** **6 x 5 - 10.2 mm** **3 x 7.5 - 12 mm**

KEL-DPZ 16|34 CR gy



Part No.	**43819.601**	Width	**58 mm**
EAN	**4251269327681**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**34**	Cut-out size	**86 × 36 mm**
Max. cable diameter	**6,5 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,8 mm**
Length	**120 mm**	(S)VOC tested	**nein**
		Clamping range	**34 x 3.2 - 6.5 mm**

KEL-DPZ 16|34 CR (S)VOC gy



Part No.	**43819.600**	Width	**58 mm**
EAN	**4251269327582**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**34**	Cut-out size	**86 × 36 mm**
Max. cable diameter	**6,5 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,8 mm**
Length	**120 mm**	(S)VOC tested	**ja**
		Clamping range	**34 x 3.2 - 6.5 mm**

KEL-DPZ 6|12 CR gy



Part No.	**43809.601**	Width	**54 mm**
EAN	**4251269327599**	Height	**7,5 mm**
Package quantity	**5**	Mounting height	**7,5 mm**
For max. no. of cables	**12**	Cut-out size	**52 × 36 mm**
Max. cable diameter	**8 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**4,5**
Length	**85,5 mm**	(S)VOC tested	**nein**
		Clamping range	**12 x 4.5 - 8 mm**

KEL-DPZ 6|12 CR (S)VOC gy



Part No.	**43809.600**	Width	**54 mm**
EAN	**4251269327490**	Height	**7,5 mm**
Package quantity	**5**	Mounting height	**7,5 mm**
For max. no. of cables	**12**	Cut-out size	**52 × 36 mm**
Max. cable diameter	**8 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**4,5**
Length	**85,5 mm**	(S)VOC tested	**ja**
		Clamping range	**12 x 4.5 - 8 mm**

KEL-DPZ 6|18 CR gy



Part No.	**43812.601**	Width	**54 mm**
EAN	**4251269327612**	Height	**7,5 mm**
Package quantity	**5**	Mounting height	**7,5 mm**
For max. no. of cables	**18**	Cut-out size	**52 × 36 mm**
Max. cable diameter	**6,5 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**4,5**
Length	**85,5 mm**	(S)VOC tested	**nein**
		Clamping range	**18 x 3.2 - 6.5 mm**

KEL-DPZ 6|18 CR (S)VOC gy



Part No.	**43812.600**	Width	**54 mm**
EAN	**4251269327513**	Height	**7,5 mm**
Package quantity	**5**	Mounting height	**7,5 mm**
For max. no. of cables	**18**	Cut-out size	**52 × 36 mm**
Max. cable diameter	**6,5 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**4,5**
Length	**85,5 mm**	(S)VOC tested	**ja**
		Clamping range	**18 x 3.2 - 6.5 mm**

KEL-DPZ 6|18-1 CR gy



Part No.	**43811.601**	Width	**54 mm**
EAN	**4251269327605**	Height	**7,5 mm**
Package quantity	**5**	Mounting height	**7,5 mm**
For max. no. of cables	**18**	Cut-out size	**52 × 36 mm**
Max. cable diameter	**8 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**4,5**
Length	**85,5 mm**	(S)VOC tested	**nein**
		Clamping range	**7 x 4.5 - 8 mm** **5 x 3.2 - 6.5 mm** **6 x 2.5 - 5 mm**

KEL-DPZ 6|18-1 CR (S)VOC gy



Part No.	**43811.600**	Width	**54 mm**
EAN	**4251269327506**	Height	**7,5 mm**
Package quantity	**5**	Mounting height	**7,5 mm**
For max. no. of cables	**18**	Cut-out size	**52 × 36 mm**
Max. cable diameter	**8 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**4,5**
Length	**85,5 mm**	(S)VOC tested	**ja**
		Clamping range	**7 x 4.5 - 8 mm** **5 x 3.2 - 6.5 mm** **6 x 2.5 - 5 mm**

KEL-DPZ 6|23 CR gy



Part No.	**43813.601**	Width	**54 mm**
EAN	**4251269327629**	Height	**7,5 mm**
Package quantity	**5**	Mounting height	**7,5 mm**
For max. no. of cables	**23**	Cut-out size	**52 × 36 mm**
Max. cable diameter	**6,5 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**4,5**
Length	**85,5 mm**	(S)VOC tested	**nein**
		Clamping range	**10 x 3.2 - 6.5 mm** **13 x 2.5 - 5 mm**

KEL-DPZ 6|23 CR (S)VOC gy



Part No.	**43813.600**	Width	**54 mm**
EAN	**4251269327520**	Height	**7,5 mm**
Package quantity	**5**	Mounting height	**7,5 mm**
For max. no. of cables	**23**	Cut-out size	**52 × 36 mm**
Max. cable diameter	**6,5 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**4,5**
Length	**85,5 mm**	(S)VOC tested	**ja**
		Clamping range	**10 x 3.2 - 6.5 mm** **13 x 2.5 - 5 mm**

KEL-DPZ 6|27 CR gy



Part No.	**43814.601**	Width	**54 mm**
EAN	**4251269327636**	Height	**7,5 mm**
Package quantity	**5**	Mounting height	**7,5 mm**
For max. no. of cables	**27**	Cut-out size	**52 × 36 mm**
Max. cable diameter	**5 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**4,5**
Length	**85,5 mm**	(S)VOC tested	**nein**
		Clamping range	**27 x 2.5 - 5 mm**

KEL-DPZ 6|27 CR (S)VOC gy



Part No.	**43814.600**	Width	**54 mm**
EAN	**4251269327537**	Height	**7,5 mm**
Package quantity	**5**	Mounting height	**7,5 mm**
For max. no. of cables	**27**	Cut-out size	**52 × 36 mm**
Max. cable diameter	**5 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**4,5**
Length	**85,5 mm**	(S)VOC tested	**ja**
		Clamping range	**27 x 2.5 - 5 mm**

KEL-DPZ-B 13 CR gy



Part No.	**43794.601**
EAN	**4251269327834**
Package quantity	**5**
For max. no. of cables	**13**
Max. cable diameter	**22 mm**
Colour	**grey (similar RAL 7035)**
Length	**72,8 mm**

Width	**58 mm**
Height	**10 mm**
Mounting height	**10 mm**
Cut-out size	**46 × 46 mm**
No. of screw holes	**4**
Diam. of screw holes	**5,7 mm**
(S)VOC tested	**nein**
Clamping range	**8 x 3.2 - 6.5 mm** **4 x 5 - 10.2 mm** **1 x 16 - 22 mm**

KEL-DPZ-B 13 CR (S)VOC gy



Part No.	**43794.600**
EAN	**4251269327711**
Package quantity	**5**
For max. no. of cables	**13**
Max. cable diameter	**22 mm**
Colour	**grey (similar RAL 7035)**
Length	**72,8 mm**

Width	**58 mm**
Height	**10 mm**
Mounting height	**10 mm**
Cut-out size	**46 × 46 mm**
No. of screw holes	**4**
Diam. of screw holes	**5,7 mm**
(S)VOC tested	**ja**
Clamping range	**8 x 3.2 - 6.5 mm** **4 x 5 - 10.2 mm** **1 x 16 - 22 mm**

KEL-DPZ-B 13 CR bk



Part No.	**50794.601**
EAN	**4251269327889**
Package quantity	**5**
For max. no. of cables	**13**
Max. cable diameter	**22 mm**
Colour	**black**
Length	**72,8 mm**

Width	**58 mm**
Height	**10 mm**
Mounting height	**10 mm**
Cut-out size	**46 × 46 mm**
No. of screw holes	**4**
Diam. of screw holes	**5,7 mm**
(S)VOC tested	**nein**
Clamping range	**8 x 3.2 - 6.5 mm** **4 x 5 - 10.2 mm** **1 x 16 - 22 mm**

KEL-DPZ-B 13 CR (S)VOC bk



Part No.	**50794.600**
EAN	**4251269327766**
Package quantity	**5**
For max. no. of cables	**13**
Max. cable diameter	**22 mm**
Colour	**black**
Length	**72,8 mm**

Width	**58 mm**
Height	**10 mm**
Mounting height	**10 mm**
Cut-out size	**46 × 46 mm**
No. of screw holes	**4**
Diam. of screw holes	**5,7 mm**
(S)VOC tested	**ja**
Clamping range	**8 x 3.2 - 6.5 mm** **4 x 5 - 10.2 mm** **1 x 16 - 22 mm**

KEL-DPZ-B 17 CR gy



Part No.	**43796.601**
EAN	**4251269327841**
Package quantity	**5**
For max. no. of cables	**17**
Max. cable diameter	**16,2 mm**
Colour	**grey (similar RAL 7035)**
Length	**72,8 mm**

Width	**58 mm**
Height	**10 mm**
Mounting height	**10 mm**
Cut-out size	**46 × 46 mm**
No. of screw holes	**4**
Diam. of screw holes	**5,7 mm**
(S)VOC tested	**nein**
Clamping range	**10 x 3.2 - 6.5 mm** **4 x 5 - 10.2 mm** **2 x 7.5 - 12 mm** **1 x 9 - 16.2 mm**

KEL-DPZ-B 17 CR (S)VOC gy



Part No.	**43796.600**	Width	**58 mm**
EAN	**4251269327728**	Height	**10 mm**
Package quantity	**5**	Mounting height	**10 mm**
For max. no. of cables	**17**	Cut-out size	**46 × 46 mm**
Max. cable diameter	**16,2 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,7 mm**
Length	**72,8 mm**	(S)VOC tested	**ja**
		Clamping range	**10 x 3.2 - 6.5 mm** **4 x 5 - 10.2 mm** **2 x 7.5 - 12 mm** **1 x 9 - 16.2 mm**

KEL-DPZ-B 17 CR bk



Part No.	**50796.601**	Width	**58 mm**
EAN	**4251269327896**	Height	**10 mm**
Package quantity	**5**	Mounting height	**10 mm**
For max. no. of cables	**17**	Cut-out size	**46 × 46 mm**
Max. cable diameter	**16,2 mm**	No. of screw holes	**4**
Colour	**black**	Diam. of screw holes	**5,7 mm**
Length	**72,8 mm**	(S)VOC tested	**nein**
		Clamping range	**10 x 3.2 - 6.5 mm** **4 x 5 - 10.2 mm** **2 x 7.5 - 12 mm** **1 x 9 - 16.2 mm**

KEL-DPZ-B 17 CR (S)VOC bk



Part No.	**50796.600**	Width	**58 mm**
EAN	**4251269327773**	Height	**10 mm**
Package quantity	**5**	Mounting height	**10 mm**
For max. no. of cables	**17**	Cut-out size	**46 × 46 mm**
Max. cable diameter	**16,2 mm**	No. of screw holes	**4**
Colour	**black**	Diam. of screw holes	**5,7 mm**
Length	**72,8 mm**	(S)VOC tested	**ja**
		Clamping range	**10 x 3.2 - 6.5 mm** **4 x 5 - 10.2 mm** **2 x 7.5 - 12 mm** **1 x 9 - 16.2 mm**

KEL-DPZ-B 25 CR gy



Part No.	**43798.601**	Width	**58 mm**
EAN	**4251269327858**	Height	**10 mm**
Package quantity	**5**	Mounting height	**10 mm**
For max. no. of cables	**25**	Cut-out size	**46 × 46 mm**
Max. cable diameter	**6,5 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,7 mm**
Length	**72,8 mm**	(S)VOC tested	**nein**
		Clamping range	**25 x 3.2 - 6.5 mm**

KEL-DPZ-B 25 CR (S)VOC gy



Part No.	**43798.600**	Width	**58 mm**
EAN	**4251269327735**	Height	**10 mm**
Package quantity	**5**	Mounting height	**10 mm**
For max. no. of cables	**25**	Cut-out size	**46 × 46 mm**
Max. cable diameter	**6,5 mm**	No. of screw holes	**4**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,7 mm**
Length	**72,8 mm**	(S)VOC tested	**ja**
		Clamping range	**25 x 3.2 - 6.5 mm**

KEL-DPZ-B 25 CR bk



Part No.	**50798.601**	Width	**58 mm**
EAN	**4251269327902**	Height	**10 mm**
Package quantity	**5**	Mounting height	**10 mm**
For max. no. of cables	**25**	Cut-out size	**46 × 46 mm**
Max. cable diameter	**6,5 mm**	No. of screw holes	**4**
Colour	**black**	Diam. of screw holes	**5,7 mm**
Length	**72,8 mm**	(S)VOC tested	**nein**
		Clamping range	**25 x 3.2 - 6.5 mm**

KEL-DPZ-B 25 CR (S)VOC bk



Part No.	**50798.600**	Width	**58 mm**
EAN	**4251269327780**	Height	**10 mm**
Package quantity	**5**	Mounting height	**10 mm**
For max. no. of cables	**25**	Cut-out size	**46 × 46 mm**
Max. cable diameter	**6,5 mm**	No. of screw holes	**4**
Colour	**black**	Diam. of screw holes	**5,7 mm**
Length	**72,8 mm**	(S)VOC tested	**ja**
		Clamping range	**25 x 3.2 - 6.5 mm**

KEL-DPZ-E 112|7 CR gy

Part No.	**43780.601**	Width	**29 mm**
EAN	**4251269327810**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**7**	No. of screw holes	**2**
Max. cable diameter	**12 mm**	Diam. of screw holes	**5,7 mm**
Colour	**grey (similar RAL 7035)**	(S)VOC tested	**nein**
Length	**147 mm**	Clamping range	**7 x 7.5 - 12 mm**

KEL-DPZ-E 112|7 CR (S)VOC gy

Part No.	**43780.600**	Width	**29 mm**
EAN	**4251269327698**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**7**	No. of screw holes	**2**
Max. cable diameter	**12 mm**	Diam. of screw holes	**5,7 mm**
Colour	**grey (similar RAL 7035)**	(S)VOC tested	**ja**
Length	**147 mm**	Clamping range	**7 x 7.5 - 12 mm**

KEL-DPZ-E 112|7 CR bk

Part No.	**50780.601**	Width	**29 mm**
EAN	**4251269327865**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**7**	No. of screw holes	**2**
Max. cable diameter	**12 mm**	Diam. of screw holes	**5,7 mm**
Colour	**black**	(S)VOC tested	**nein**
Length	**147 mm**	Clamping range	**7 x 7.5 - 12 mm**

KEL-DPZ-E 112|7 CR (S)VOC bk

Part No.	**50780.600**	Width	**29 mm**
EAN	**4251269327742**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**7**	No. of screw holes	**2**
Max. cable diameter	**12 mm**	Diam. of screw holes	**5,7 mm**
Colour	**black**	(S)VOC tested	**ja**
Length	**147 mm**	Clamping range	**7 x 7.5 - 12 mm**

KEL-DPZ-E 112|21 CR gy

Part No.	**43790.601**	Width	**29 mm**
EAN	**4251269327827**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**21**	No. of screw holes	**2**
Max. cable diameter	**6,5 mm**	Diam. of screw holes	**5,7 mm**
Colour	**grey (similar RAL 7035)**	(S)VOC tested	**nein**
Length	**147 mm**	Clamping range	**21 x 3.2 - 6.5 mm**

KEL-DPZ-E 112|21 CR (S)VOC gy



Part No.	**43790.600**	Width	**29 mm**
EAN	**4251269327704**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**21**	No. of screw holes	**2**
Max. cable diameter	**6,5 mm**	Diam. of screw holes	**5,7 mm**
Colour	**grey (similar RAL 7035)**	(S)VOC tested	**ja**
Length	**147 mm**	Clamping range	**21 x 3.2 - 6.5 mm**

KEL-DPZ-E 112|21 CR bk



Part No.	**50790.601**	Width	**29 mm**
EAN	**4251269327872**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**21**	No. of screw holes	**2**
Max. cable diameter	**6,5 mm**	Diam. of screw holes	**5,7 mm**
Colour	**black**	(S)VOC tested	**nein**
Length	**147 mm**	Clamping range	**21 x 3.2 - 6.5 mm**

KEL-DPZ-E 112|21 CR (S)VOC bk



Part No.	**50790.600**	Width	**29 mm**
EAN	**4251269327759**	Height	**14 mm**
Package quantity	**5**	Mounting height	**14 mm**
For max. no. of cables	**21**	No. of screw holes	**2**
Max. cable diameter	**6,5 mm**	Diam. of screw holes	**5,7 mm**
Colour	**black**	(S)VOC tested	**ja**
Length	**147 mm**	Clamping range	**21 x 3.2 - 6.5 mm**

KEL-DPZ-KX/KL 72 CR gy



Part No.	**43675.001.601**	Width	**90 mm**
EAN	**4251269327919**	Height	**4 mm**
Package quantity	**1**	Mounting height	**4 mm**
For max. no. of cables	**72**	Cut-out size	**192 × 62 mm**
Max. cable diameter	**22 mm**	No. of screw holes	**6**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,1 mm**
Length	**221 mm**	(S)VOC tested	**nein**
		Clamping range	**42 x 3.2 - 6.5 mm** **21 x 5 - 10.2 mm** **6 x 9 - 16.2 mm** **3 x 16 - 22 mm**

KEL-DPZ-KX/KL 72 CR (S)VOC gy



Part No.	**43675.001.600**	Width	**90 mm**
EAN	**4251269327797**	Height	**4 mm**
Package quantity	**1**	Mounting height	**4 mm**
For max. no. of cables	**72**	Cut-out size	**192 × 62 mm**
Max. cable diameter	**22 mm**	No. of screw holes	**6**
Colour	**grey (similar RAL 7035)**	Diam. of screw holes	**5,1 mm**
Length	**221 mm**	(S)VOC tested	**ja**
		Clamping range	**42 x 3.2 - 6.5 mm** **21 x 5 - 10.2 mm** **6 x 9 - 16.2 mm** **3 x 16 - 22 mm**

KEL-DPZ-KX/KL 72 CR bk



Part No.	**43675.101.601**
EAN	**4251269327926**
Package quantity	**1**
For max. no. of cables	**72**
Max. cable diameter	**22 mm**
Colour	**black**
Length	**221 mm**

Width	**90 mm**
Height	**4 mm**
Mounting height	**4 mm**
Cut-out size	**192 × 62 mm**
No. of screw holes	**6**
Diam. of screw holes	**5,1 mm**
(S)VOC tested	**nein**
Clamping range	**42 x 3.2 - 6.5 mm** **21 x 5 - 10.2 mm** **6 x 9 - 16.2 mm** **3 x 16 - 22 mm**

KEL-DPZ-KX/KL 72 CR (S)VOC bk



Part No.	**43675.101.600**
EAN	**4251269327803**
Package quantity	**1**
For max. no. of cables	**72**
Max. cable diameter	**22 mm**
Colour	**black**
Length	**221 mm**

Width	**90 mm**
Height	**4 mm**
Mounting height	**4 mm**
Cut-out size	**192 × 62 mm**
No. of screw holes	**6**
Diam. of screw holes	**5,1 mm**
(S)VOC tested	**ja**
Clamping range	**42 x 3.2 - 6.5 mm** **21 x 5 - 10.2 mm** **6 x 9 - 16.2 mm** **3 x 16 - 22 mm**

icotek®
smart cable management