QT-AT-M | QT-AT-K-M | Adapter grommets

with inner thread M5 - M25 / IP54



QT-AT-M is an adapter grommet (based on large QT grommets) with integrated metric threads.. The QT-AT-M adapter grommets are made of elastomer with a polyamide body. QT-AT-M adapter grommets are available with inner threads M12 x 1.0, M16 x 1.5, M20 x 1.5 and M25 x 1.5.

The QT-AT-M is ideal for creating an interface for signal, data, power or hybrid connectors by simply screwing them into the QT-AT-M thread. Pressure compensation elements or hose glands up to M25 x 1.5 can also be screwed into the OT-AT-M.

icotek also offers screw plugs for sizes M16, M20 and M25 to close the new adapter grommet with the metric internal thread QT-AT-M.

QT-AT-K-M is an adapter grommet (based on small QT grommets) with integrated metric threads, suitable for split icotek cable entry systems. The QT-AT-K-M adapter grommets are made of elastomer with a nickel-plated brass body. QT-AT-K-M adapter grommets are available with inner threads M5 x 0.5, M8 x 1.0, M12 x 1.0 and M12 x 1.5.

By using the QT-AT-K-M adapter grommet several connectors can be inserted directly into the cable entry frame e.g. pneumatic bulkhead connectors M12 x 1,0, metric connectors and pressure compensation elements.

They are compatible with all split KEL-QUICK cable entry systems (suitable for QT cable grommets).

Specifications

IP rating (EN 60529)	IP54
Material	Elastomer Body: Polyamide
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free

Advantages & Benefits

- Panel connectors and sockets can be integrated directly into the cable entry
- Separate cut-outs for connectors are no longer necessary
- Space-saving solution

Product Types & Sizes

OT-AT-K-M M5 \times 0.5



Part No. EAN Package quantity Thread Length Width Height

42604 4251269323423 M5 × 0,5 20 mm 19 mm 12 mm

Mounting height

2 mm

QT-AT-K-M M8 × 1.0



Part No. Package quantity Thread Length Width Height

42605 4251269323430 M8 × 1,0 20 mm 19 mm 12 mm

Mounting height

2 mm

Part No. EAN Package quantity Thread Length Width Height 42609 4251269323829 5 M8 × 0,5 20 mm 19 mm 12 mm

Mounting height

2 mm

QT-AT-K-M M12 \times 1.0

IP54



Part No. EAN Package quantity Thread Length Width Height 42606 4251269323447 5 M12 × 1,0 20 mm 19 mm 12 mm

Mounting height

2 mm

QT-AT-K-M M12 \times 1.5



Part No. EAN Package quantity Thread Length Width Height 42607 4251269323454 5 M12 × 1,5 20 mm 19 mm 12 mm

Mounting height

2 mm

QT-AT-M 12 × 1.0



Part No. EAN Package quantity Thread Length Width Height 42596 4251269322952 10 M12 × 1,0 40 mm 39 mm 19 Mounting height

2

QT-AT-M 16 × 1.5



Part No. EAN Package quantity Thread Length Width Height 42597 4251269322969 10 M16 × 1,5 40 mm 39 mm 19 Mounting height

2

QT-AT-M 20 × 1.5



Part No.
EAN
Package quantity
Thread
Length
Width
Height

42598 4251269322976 10 M20 × 1,5 40 mm 39 mm 19 Mounting height

2

QT-AT-M 25 \times 1.5



Part No. EAN Package quantity Thread Length Width Height 42599 4251269322983 10 M25 × 1,5 40 mm 39 mm 19

Mounting height

2

