


Rittal VX25 □□□□□ / IP54




KDR-VX25 □□□ □□□□□ Rittal VX25 □□□□□□□ □□. □□ □ □□ □□□ □□ 가□.

11 11 11

-  KEL-U / KEL-FA / KEL-QUICK / KEL-DPR / KEL-JUMBO □□□ □□
-  □□□ KDR-EMC-PFM □□
-  □□ □□□□ □□ □□□ □□ □□
-  □□□□ □ □□□ □□
-  □□ □□□ □□□
-  □□□ □□ □□ □□□
-  □□ □ □□□□□ □□ □□□ □ □□






EAN

44301
4251269336
447
1
488 mm
120 mm
12 mm
488 mm

□□□□ □□
□□ □□□ □□
□□ :

600 mm
452 mm
1 × KEL-
JUMBO 2 | 1
× KEL-U 24 /
KEL-FA 24 /
KEL-QUICK
24 / KEL-DPR
24
Rittal VX25

□□□□□ □□



EAN



44302
4251269336
454
1
488 mm
120 mm
12 mm
488 mm

□□□□ □□
□□ □□□ □□
□□ :


600 mm
452 mm
1 × KEL-
JUMBO 1 | 2
× KEL-U 24 /
KEL-FA 24 /
KEL-QUICK
24 / KEL-DPR
24
Rittal VX25

□□□□□ □□

EAN	44303	□□□□ □□	800 mm
	4251269336	□□ □□□ □□	652 mm
	461	□□ :	4 × KEL-U 24
	1		/ KEL-FA 24 /
	688 mm		KEL-QUICK
	100 mm		24 / KEL-DPR
	12 mm		24
	688 mm	□□□□□ □□	Rittal VX25




EAN	44304	□□□□ □□	800 mm
	4251269336	□□ □□□ □□	652 mm
	478	□□ :	1 × KEL-
	1		JUMBO 1 3
	688 mm		× KEL-U 24 /
	120 mm		KEL-FA 24 /
	12 mm		KEL-QUICK
	688 mm		24 / KEL-DPR
		□□□□□ □□	24
			Rittal VX25



EAN


44305	□□□□ □□	800 mm
4251269336	□□ □□□ □□	652 mm
485	□□ :	1 × KEL-
1		JUMBO 2 2
688 mm		× KEL-U 24 /
120 mm		KEL-FA 24 /
12 mm		KEL-QUICK
688 mm		24 / KEL-DPR
		24
	□□□□□ □□	Rittal VX25




EAN

44306	□□□□ □□	1.000 mm
4251269336	□□ □□□ □□	402 mm
492		
1	□□ :	2 × KEL-U 24
438 mm		/ KEL-FA 24 /
100 mm		KEL-QUICK
12 mm		24 / KEL-DPR
438 mm		24
	□□□□□ □□	Rittal VX25

EAN	44307	□□□□ □□	1.000 mm
	4251269336	□□ □□□ □□	402 mm
	508		
	1	□□ :	1 × KEL-
	438 mm		JUMBO 1 1
	120 mm		× KEL-U 24 /
	12 mm		KEL-FA 24 /
	438 mm		KEL-QUICK
			24 / KEL-DPR
			24
		□□□□□ □□	Rittal VX25




EAN	44308	□□□□ □□	1.000 mm
	4251269336	□□ □□□ □□	402 mm
	515		
	1	□□ :	1 × KEL-
	438 mm		JUMBO 2 1
	120 mm		× KEL-U 24 /
	12 mm		KEL-FA 24 /
	438 mm		KEL-QUICK
			24 / KEL-DPR
			24
		□□□□□ □□	Rittal VX25





EAN

44309	□□□□ □□	1.200 mm
4251269336	□□ □□□ □□	502 mm
522	□□ :	3 × KEL-U 24
1		/ KEL-FA 24 /
538 mm		KEL-QUICK
100 mm		24 / KEL-DPR
12 mm		24
538 mm	□□□□□ □□	Rittal VX25



EAN

44310	□□□□ □□	1.200 mm
4251269336	□□ □□□ □□	502 mm
539	□□ :	1 × KEL-
1		JUMBO 1 2
538 mm		× KEL-U 24 /
120 mm		KEL-FA 24 /
12 mm		KEL-QUICK
538 mm		24 / KEL-DPR
		24
	□□□□□ □□	Rittal VX25

EAN

44311

□□□□ □□

1.200 mm

4251269336

□□ □□□ □□

502 mm

546

□□ :

1 × KEL-

1

JUMBO 2 | 1

538 mm

× KEL-U 24 /

120 mm

KEL-FA 24 /

12 mm

KEL-QUICK


538 mm

24 / KEL-DPR

24

□□□□□ □□

Rittal VX25



icotek[®]
smart cable management